Biology of the Cell, **64** (1988) 381–383
© Elsevier, Paris

AUTHOR INDEX

A

Ahomadegbe J-C — *See* Douc-Rasy S *et al*, 145
Aikawa M, Morphological changes in erythrocytes induced by malarial parasites, 173
André C — *See* Hernandez-Verdun D *et al*, 331
Argüello C — *See* Mendoza-Figueroa T *et al*, 29
Ascari E — *See* Danova M *et al*, 23

B

Barlocco G — *See* De Santi M M *et al*, 67
Barray M — *See* Thomas D *et al*, 39 — *See* Boisset N *et al*, 45
Bernaudin J-F — *See* Caubet J-F, 101
Bhatia A — *See* Delplace P *et al*, 215
Binet S — *See* Meininger V, 301
Boisset N, Taveau J-C, Barray M, Van Leuven F, Delain E & Lamy J N, Image analysis and three-dimensional model of chymotrypsin-transformed human alpha$_2$-macroglobulin complexed with a monoclonal antibody specific for this conformation, 45
Boucher D — *See* Pyne C K *et al*, 343
Boutignon F, Hublart M, Gomes V, Mendonca-Previato L, Tetaert D, Huet-Duvillier G & Degand P, Molecular heterogeneity of the isolated surface glycoprotein from variant AnTat 1.1 of *Trypanosoma brucei brucei*, 131
Bracone A — *See* Rosenberg-Bourgin M *et al*, 3
Braun-Breton C & Pereira da Silva L, Activation of a *Plasmodium falciparum* protease correlated with merozoite maturation and erythrocyte invasion, 223
Brisson P — *See* Guerlotte J *et al*, 93
Bronchart R — *See* Motte P *et al*, 97

C

Cagnard M — *See* Delplace P *et al*, 215
Camus D — *See* Delplace P *et al*, 215
Canciani M — *See* De Santi M M *et al*, 67
Caubet J-F & Bernaudin J-F, Expression of the *c-fos* proto-oncogene in bone, cartilage and tooth forming tissues during mouse development, 101
Charlemagne J — *See* Pyne C K *et al*, 343
Collin J-P — *See* Guerlotte J *et al*, 93
Colombet G — *See* Delplace P *et al*, 215
Contesse G — *See* Rosenberg-Bourgin M *et al*, 3

D

Danova M, Riccardi A, Giordano M, Girino M, Mazzini G, Dezza L & Ascari E, Cell cycle-related proteins: a flow cytofluorometric study in human tumors, 23
David P H, del Portillo H A & Mendis K N, *Plasmodium vivax* malaria: parasite biology defines potential targets for vaccine development, 251
De Santi M M, Gardi C, Barlocco G, Canciani M, Mastella G & Lungarella G, Cilia-lacking respiratory cells in ciliary aplasia, 67
de Pennart H, Houliston E & Maro B, Post-translational modifications of tubulin and the dynamics of microtubules in mouse oocytes and zygotes, 375
Debrabant A — *See* Delplace P *et al*, 215
Degand P — *See* Boutignon F *et al*, 131
del Portillo H A — *See* David P H *et al*, 251
Delain E — *See* Thomas D *et al*, 39 — *See* Boisset N *et al*, 45
Delplace P, Bhatia A, Cagnard M, Camus D, Colombet G, Debrabant A, Dubremetz J-F, Dubreuil N, Prensier G, Fortier B, Haq A, Weber J & Vernes A, Protein p126: a parasitophorous vacuole antigen associated with the release of *Plasmodium falciparum* merozoites, 215
Deltour R — *See* Motte P *et al*, 97
Dezza L — *See* Danova M *et al*, 23
Dickinson H G — *See* Sato S *et al*, 309
Douc-Rasy S, Riou J-F, Ahomadegbe J-C & Riou G,.ATP-independent DNA topoisomerase II as potential drug target in trypanosomes, 145
Dubremetz J-F — *See* Delplace P *et al*, 215
Dubreuil N — *See* Delplace P *et al*, 215

E

Escoffier B — *See* Thomas D *et al*, 39

F

Faure J-P — *See* Guerlotte J *et al*, 93
Flifla M J — *See* Thomas D *et al*, 39
Fortier B — *See* Delplace P *et al*, 215

G

Gallo J-M & Precigout E, Tubulin expression in trypanosomes, 137
Gardi C — *See* De Santi M M *et al*, 67

Gentilini M — *See* Mazier D *et al*, 165
Giordano M — *See* Danova M *et al*, 23
Girino M — *See* Danova M *et al*, 23
Goma J — *See* Mazier D *et al*, 165
Gomes V — *See* Boutignon F *et al*, 131
Grellier P — *See* Schrével J *et al*, 233
Guerlotte J, Voisin P, Brisson P, Faure J-P & Collin J-P, Synthesis of melatonin by the pineal modified photoreceptors of birds. Immunocytochemical localization of hydroxyindole-O-methyltransferase, 93
Guilly M-N — *See* Hernandez-Verdun D *et al*, 331

H

Habibi H R — *See* Lessman C A *et al*, 293
Haq A — *See* Delplace P *et al*, 215
Heidrich H-G, Isolation and functional characterization of *Plasmodium falciparum* merozoite antigens, 205
Hendry K A K — *See* Vickerman K *et al*, 109
Hernandez-Verdun D, Prévot S, André C, Guilly M-N, Masson C & Wolfe J, Autoimmune serum containing an antibody against a 94 kDa nucleolar protein, 331
Hommel M & Semoff S, Expression and function of erythrocyte-associated surface antigens in malaria, 183
Houliston E — *See* de Pennart H *et al*, 375
Hublart M — *See* Boutignon F *et al*, 131
Huet-Duvillier G — *See* Boutignon F *et al*, 131

K

Kenney D M — *See* Kowit J D *et al*, 283
Knauf G M & Mendgen K, Secretion systems and membrane-associated structures in rust fungi after high pressure freezing and freeze-fracturing, 363
Kowit J D, Linck R W & Kenney D M, Isolated cytoskeletons of human blood platelets: dark-field imaging of coiled and uncoiled microtubules, 283
Kuri-Harcuch W — *See* Mendoza-Figueroa T *et al*, 29

L

Lacroix J-C — *See* Pyne C K *et al*, 343
Lambert A-M — *See* Schmit A-C, 309
Lamy J N — *See* Boisset N *et al*, 45
Le Douarin G — *See* Suignard-Khaskiye G *et al*, 79
Lefranc G — *See* Pradal G *et al*, 71
Lessman C A, Habibi H R & Macrae T H, Effect of microtubule reactive drugs on steroid- and centrifugation-induced germinal vesicle migration during goldfish oocyte meiosis, 293
Linck R W — *See* Kowit J D *et al*, 283
Lungarella G — *See* De Santi M M *et al*, 67

M

Macrae T H — *See* Lessman C A *et al*, 293
Mangeat P-H, Interaction of biological membranes with the cytoskeletal framework of living cells, 261
Maro B — *See* de Pennart H *et al*, 375
Masson C — *See* Hernandez-Verdun D *et al*, 331
Mastella G — *See* De Santi M M *et al*, 67
Mayer R — *See* Schrével J *et al*, 233
Mazier D, Miltgen F, Nudelman S, Nussler A, Renia L, Pied S, Goma J & Gentilini M, Pre-erythrocyticstages of plasmodia. Role of specific and non specific factors, 165
Mazzini G — *See* Danova M *et al*, 23
Meininger V & Binet S, Spatial organization of microtubules in various types of cells in the embryonic tectal plate of mouse using immunofluorescence after PEG embedding, 301
Mendgen K — *See* Knauf G M, 363
Mendis K N — *See* David P H *et al*, 251
Mendonca-Previato L — *See* Boutignon F *et al*, 131
Mendoza-Figueroa T, Argüello C & Kuri-Harcuch W, Culture of proliferating and differentiating fat-storing cells in 3T3-conditioned medium, 29
Meuwissen J H E T & Ponnudurai T, Biology and biochemistry of sexual and sporogenic stages of *Plasmodium falciparum:* a review, 245
Michels P A M, Compartmentation of glycolysis in trypanosomes: a potential target for new trypanocidal drugs, 157
Miltgen F — *See* Mazier D *et al*, 165
Monsigny M — *See* Schrével J *et al*, 233
Montag M — *See* Spring H *et al*, 371
Moreau J — *See* Rzeszowska-Wolny J *et al*, 13
Mosen H — *See* Motte P *et al*, 97
Motte P, Mosen H, Bronchart R & Deltour R, Ultrastructural localization of argyrophilic proteins in nucleoli of *Zea mays* by two silver staining techniques, 97

N

Nudelman S — *See* Mazier D *et al*, 165
Nussler A — *See* Mazier D *et al*, 165

O

Ogawa K, Yokota E & Shirai H, Assembly of a protein sharing epitopes with sperm dynein heavy chains into meiotic spindle in the prometaphase starfish oocyte, 57

P

Paumard S — *See* Rosenberg-Bourgin M *et al*, 3
Pays E, Expression of variant-specific antigen genes in African trypanosomes, 121
Perche O & Sandoz D, Immunolocalization of laminin during estrogen-induced differentiation of quail oviduct epithelial cells, 353
Pereira da Silva L — *See* Braun-Breton C, 223
Pied S — *See* Mazier D *et al*, 165
Piloquet P — *See* Pradal G *et al*, 71
Ponnudurai T — *See* Meuwissen J H E T, 245
Pradal G, Lefranc G, Piloquet P, Vo N H & Riet A, Ultrastructural identification of round-granule EC cells in rabbit fundic mucosa, 71
Precigout E — *See* Gallo J-M, 137
Prensier G — *See* Delplace P *et al*, 215
Prévot S — *See* Hernandez-Verdun D *et al*, 331
Puvion E — *See* Rzeszowska-Wolny J *et al*, 13
Pyne C K, Charlemagne J, Boucher D & Lacroix J-C, Light and electron microscope immunolocalization of two nuclear antigens in the liver of *Pleurodeles waltl* using monoclonal antibodies, 343

R

Razin S — *See* Rzeszowska-Wolny J *et al*, 13
Renaud D — *See* Suignard-Khaskiye G *et al*, 79
Renia L — *See* Mazier D *et al*, 165
Riccardi A — *See* Danova M *et al*, 23
Riet A — *See* Pradal G *et al*, 71
Riou G — *See* Douc-Rasy S *et al*, 145
Riou J-F — *See* Douc-Rasy S *et al*, 145

Rosenberg-Bourgin M, Paumard S, Bracone A & Contesse G, Comparison between the molecular characteristics and the potential activity of X and Y nucleolar organizers from various *Drosophila melanogaster* laboratory lines, 3
Rzeszowska-Wolny J, Razin S, Puvion E, Moreau J & Scherrer K, Isolation and characterization of stable nuclear matrix preparations and associated DNA from avian erythroblasts, 13

S

Sandoz D — *See* Perche O, 353
Sato S, Willson C & Dickinson H G, Origin of nucleolus-like bodies found in nucleoplasm and cytoplasm of *Vicia faba* meristematic cells, 309
Scherrer K — *See* Rzeszowska-Wolny J *et al*, 13
Schmit A-C & Lambert A-M, Plant actin filament and microtubule interactions during anaphase-telophase transition: effects of antagonist drugs, 309
Schrével J — ***, Foreword of special issue : "Cell and molecular biology of trypanosomes and plasmodium", 107 — ***, Grellier P, Mayer R & Monsigny M, Neutral proteases involved in the reinvasion of erythrocytes by *Plasmodium* merozoites, 233
Semoff S — *See* Hommel M, 183
Shirai H — *See* Ogawa K *et al*, 57
Spring H, Trendelenburg M F & Montag M, DNA-fluorescence of mammalian intra-nucleolar chromatin detected by confocal laser scanning microscopy (CLSM), 371
Suignard-Khaskiye G, Renaud D & Le Douarin G, Nicotinic and muscarinic responses of embryonic chick ventricular myocardium to acetylcholine: chronotropic and electrophysiological effects, 79

T

Taveau J-C — *See* Boisset N *et al*, 45
Tetaert D — *See* Boutignon F *et al*, 131
Tetley L — *See* Vickerman K *et al*, 109
Thomas D, Flifla M J, Escoffier B, Barray M & Delain E, Image processing of electron micrographs of human alpha$_2$-macroglobulin half-molecules induced by Cd^{2+}, 39
Trendelenburg M F — *See* Spring H *et al*, 371
Turner C M R — *See* Vickerman K *et al*, 109

V

Van Leuven F — *See* Boisset N *et al*, 45
Vernes A — *See* Delplace P *et al*, 215
Vickerman K, Tetley L, Hendry K A K & Turner C M R, Biology of African trypanosomes in the tsetse fly, 109
Vo N H — *See* Pradal G *et al*, 71
Voisin P — *See* Guerlotte J *et al*, 93

W

Weber J — *See* Delplace P *et al*, 215
Whitear M, Variations in the arrangement of tonofilaments in the epidermis of teleost fish, 85
Willson C — *See* Sato S *et al*, 309
Wolfe J — *See* Hernandez-Verdun D *et al*, 331

Y

Yokota E — *See* Ogawa K *et al*, 57

Biology of the Cell, **64** (1988) 385–388
© Elsevier, Paris

KEY-WORD INDEX

A

α_2-macroglobulin. Image processing of electron micrographs of human alpha$_2$-macroglobulin half-molecules induced by Cd^{2+}, 39 — Image analysis and three-dimensional model of chymotrypsin-transformed human alpha$_2$-macroglobulin complexed with a monoclonal antibody specific for this conformation, 45

Acetylcholine. Nicotinic and muscarinic responses of embryonic chick ventricular myocardium to acetylcholine: chronotropic and electrophysiological effects, 79

Actin. Plant actin filament and microtubule interactions during anaphase-telophase transition: effects of antagonist drugs, 309

Acute-phase proteins. Pre-erythrocytic stages of plasmodia. Role of specific and non specific factors, 165

Adducin. Interaction of biological membranes with the cytoskeletal framework of living cells, 261

Ankyrin. Interaction of biological membranes with the cytoskeletal framework of living cells, 261

Antibodies. Pre-erythrocytic stages of plasmodia. Role of specific and non specific factors, 165

Antigen. *Plasmodium vivax* malaria: parasite biology defines potential targets for vaccine development, 251

Antigen genes. Expression of variant-specific antigen genes in African trypanosomes, 121

Antigenic variation. Expression and function of erythrocyte-associated surface antigens in malaria, 183

ATP-independent. ATP-independent DNA topoisomerase II as potential drug target in trypanosomes, 145

Autohistoradiography. Ultrastructural identification of round-granule EC cells in rabbit fundic mucosa, 71

Autoimmune serum. Autoimmune serum containing an antibody against a 94 kDa nucleolar protein, 331

Avian erythroblasts. Isolation and characterization of stable nuclear matrix preparations and associated DNA from avian erythroblasts, 13

B

***Bacillus thuringiensis* supernatant.** Comparison between the molecular characteristics and the potential activity of X and Y nucleolar organizers from various *Drosophila melanogaster* laboratory lines, 3

Basal body. Cilia-lacking respiratory cells in ciliary aplasia, 67

Birds. Synthesis of melatonin by the pineal modified photoreceptors of birds. Immunocytochemical localization of hydroxyindole-O-methyltransferase, 93

Bone. Expression of the *c-fos* proto-oncogene in bone, cartilage and tooth forming tissues during mouse development, 101

C

***c-fos* proto-oncogene.** Expression of the *c-fos* proto-oncogene in bone, cartilage and tooth forming tissues during mouse development, 101

Calpactin. Interaction of biological membranes with the cytoskeletal framework of living cells, 261

Carassius auratus Effect of microtubule reactive drugs on steroid- and centrifugation-induced germinal vesicle migration during goldfish oocyte meiosis, 293

Cartilage. Expression of the *c-fos* proto-oncogene in bone, cartilage and tooth forming tissues during mouse development, 101

Cell cycle. Autoimmune serum containing an antibody against a 94 kDa nucleolar protein, 331

Cell proliferation. Cell cycle-related proteins: a flow cytofluorometric study in human tumors, 23

Characterization. Isolation and functional characterization of *Plasmodium falciparum* merozoite antigens, 205

Chick embryo heart.. Nicotinic and muscarinic responses of embryonic chick ventricular myocardium to acetylcholine: chronotropic and electrophysiological effects, 79

Cholinergic receptors. Nicotinic and muscarinic responses of embryonic chick ventricular myocardium to acetylcholine: chronotropic and electrophysiological effects, 79

Chromosome movements. Assembly of a protein sharing epitopes with sperm dynein heavy chains into meiotic spindle in the prometaphase starfish oocyte, 57

Chronotropic responses. Nicotinic and muscarinic responses of embryonic chick ventricular myocardium to acetylcholine: chronotropic and electrophysiological effects, 79

Ciliary aplasia. Cilia-lacking respiratory cells in ciliary aplasia, 67

Ciliogenesis. Cilia-lacking respiratory cells in ciliary aplasia, 67

Colcemid. Effect of microtubule reactive drugs on steroid- and centrifugation-induced germinal vesicle migration during goldfish oocyte meiosis, 293

Confocal laser scanning microscopy. DNA-fluorescence of mammalian intra-nucleolar chromatin detected by confocal laser scanning microscopy (CLSM), 371

Copper stabilization. Isolation and characterization of stable nuclear matrix preparations and associated DNA from avian erythroblasts, 13

Correspondence analysis. — Image processing of electron micrographs of human alpha$_2$-macroglobulin half-molecules induced by Cd^{2+}, 39 — Image analysis and three-dimensional model of chymotrypsin-transformed human alpha$_2$-macroglobulin complexed with a monoclonal antibody specific for this conformation, 45

Cytoadherence. Expression and function of erythrocyte-associated surface antigens in malaria, 183

Cytochalasin. Plant actin filament and microtubule interactions during anaphase-telophase transition: effects of antagonist drugs, 309

Cytokines. Pre-erythrocytic stages of plasmodia. Role of specific and non specific factors, 165
Cytoplasmic NLBs. Origin of nucleolus-like bodies found in nucleoplasm and cytoplasm of *Vicia faba* meristematic cells, 309
Cytoskeleton. Variations in the arrangement of tonofilaments in the epidermis of teleost fish, 85
Cytotoxicity. Pre-erythrocytic stages of plasmodia. Role of specific and non specific factors, 165

D

Dark-field. Isolated cytoskeletons of human blood platelets: dark-field imaging of coiled and uncoiled microtubules, 283
Dense bodies. Origin of nucleolus-like bodies found in nucleoplasm and cytoplasm of *Vicia faba* meristematic cells, 309
Differentiation. Culture of proliferating and differentiating fat-storing cells in 3T3-conditioned medium, 29
Dimer. Molecular heterogeneity of the isolated surface glycoprotein from variant AnTat 1.1 of *Trypanosoma brucei brucei*, 131
Drosophila melanogaster. Comparison between the molecular characteristics and the potential activity of X and Y nucleolar organizers from various *Drosophila melanogaster* laboratory lines, 3
Drug design. Compartmentation of glycolysis in trypanosomes: a potential target for new trypanocidal drugs, 157
Dynein. Assembly of a protein sharing epitopes with sperm dynein heavy chains into meiotic spindle in the prometaphase starfish oocyte, 57

E

EC cells. Ultrastructural identification of round-granule EC cells in rabbit fundic mucosa, 71
Electron microscopy. Image processing of electron micrographs of human alpha$_2$-macroglobulin half-molecules induced by Cd^{2+}, 39 — Protein p126: a parasitophorous vacuole antigen associated with the release of *Plasmodium falciparum* merozoites, 215
EM immunogold. Autoimmune serum containing an antibody against a 94 kDa nucleolar protein, 331
Epidermis. Variations in the arrangement of tonofilaments in the epidermis of teleost fish, 85
Epithelial cell differentiation. Immunolocalization of laminin during estrogen-induced differentiation of quail oviduct epithelial cells, 353
Erythrocyte. Morphological changes in erythrocytes induced by malarial parasites, 173
Erythrocyte invasion. Neutral proteases involved in the reinvasion of erythrocytes by *Plasmodium* merozoites, 233
Estrogen. Immunolocalization of laminin during estrogen-induced differentiation of quail oviduct epithelial cells, 353

F

Fat-storing cells. Culture of proliferating and differentiating fat-storing cells in 3T3-conditioned medium, 29
Fertilisation. Post-translational modifications of tubulin and the dynamics of microtubules in mouse oocytes and zygotes, 375
Feulgen fluorescence. DNA-fluorescence of mammalian intra-nucleolar chromatin detected by confocal laser scanning microscopy (CLSM), 371
Fibrillar centers. Ultrastructural localization of argyrophilic proteins in nucleoli of *Zea mays* by two silver staining techniques, 97
Fine structure. Ultrastructural identification of round-granule EC cells in rabbit fundic mucosa, 71
Flagellar attachment. Biology of African trypanosomes in the tsetse fly, 109
Flow cytometry. Cell cycle-related proteins: a flow cytofluorometric study in human tumors, 23
Fodrin. Interaction of biological membranes with the cytoskeletal framework of living cells, 261
Freeze-fracturing. Secretion systems and membrane-associated structures in rust fungi after high pressure freezing and freeze-fracturing, 363

G

Glycolysis. Compartmentation of glycolysis in trypanosomes: a potential target for new trypanocidal drugs, 157
Glycosome. Compartmentation of glycolysis in trypanosomes: a potential target for new trypanocidal drugs, 157

H

High pressure freezing. Secretion systems and membrane-associated structures in rust fungi after high pressure freezing and freeze-fracturing, 363
HIOMT. Synthesis of melatonin by the pineal modified photoreceptors of birds. Immunocytochemical localization of hydroxyindole-O-methyltransferase, 93
Histochemistry. Ultrastructural identification of round-granule EC cells in rabbit fundic mucosa, 71
Host cell alterations. Morphological changes in erythrocytes induced by malarial parasites, 173
Hydrophobicity/hydrophilicity. Molecular heterogeneity of the isolated surface glycoprotein from variant AnTat 1.1 of *Trypanosoma brucei brucei*, 131

I

Image processing. Image processing of electron micrographs of human alpha$_2$-macroglobulin half-molecules induced by Cd^{2+}, 39 — Image analysis and three-dimensional model of chymotrypsin-transformed human alpha$_2$-macroglobulin complexed with a monoclonal antibody specific for this conformation, 45
Immotile cilia syndrome. Cilia-lacking respiratory cells in ciliary aplasia, 67
Immunization. Protein p126: a parasitophorous vacuole antigen associated with the release of *Plasmodium falciparum* merozoites, 215
Immuno-electron microscopy. Light and electron microscope immunolocalization of two nuclear antigens in the liver of *Pleurodeles waltl* using monoclonal antibodies, 343
Immunoblot. Autoimmune serum containing an antibody against a 94 kDa nucleolar protein, 331
Immunocytochemistry. Ultrastructural identification of round-granule EC cells in rabbit fundic mucosa, 71 — Synthesis of melatonin by the pineal modified photoreceptors of birds. Immunocytochemical localization of hydroxyindole-O-methyltransferase, 93 — Spatial organization of microtubules in various types of cells in the embryonic tectal plate of mouse using immunofluorescence after PEG embedding, 301
Immunoelectron microscopy. Image analysis and three-dimensional model of chymotrypsin-transformed human alpha$_2$-macroglobulin complexed with a monoclonal antibody specific for this conformation, 45
Immunofluorescence. Light and electron microscope immunolocalization of two nuclear antigens in the liver of *Pleurodeles waltl* using monoclonal antibodies, 343
Inhibitory drugs. ATP-independent DNA topoisomerase II as potential drug target in trypanosomes, 145
Isolation. Isolation and functional characterization of *Plasmodium falciparum* merozoite antigens, 205

L

Laminin. Immunolocalization of laminin during estrogen-induced differentiation of quail oviduct epithelial cells, 353

Lowicryl embedding. DNA-fluorescence of mammalian intra-nucleolar chromatin detected by confocal laser scanning microscopy (CLSM), 371

M

Malaria. Pre-erythrocytic stages of plasmodia. Role of specific and non specific factors, 165 — Expression and function of erythrocyte-associated surface antigens in malaria, 183 — Activation of a *Plasmodium falciparum* protease correlated with merozoite maturation and erythrocyte invasion, 223 — Neutral proteases involved in the reinvasion of erythrocytes by *Plasmodium* merozoites, 233 — *Plasmodium vivax* malaria: parasite biology defines potential targets for vaccine development, 251

Malarial parasites. Morphological changes in erythrocytes induced by malarial parasites, 173

Mammalian nucleolar chromatin. DNA-fluorescence of mammalian intra-nucleolar chromatin detected by confocal laser scanning microscopy (CLSM), 371

Marginal band. Isolated cytoskeletons of human blood platelets: dark-field imaging of coiled and uncoiled microtubules, 283

Matrix DNA. Isolation and characterization of stable nuclear matrix preparations and associated DNA from avian erythroblasts, 13

Meiotic spindle. Assembly of a protein sharing epitopes with sperm dynein heavy chains into meiotic spindle in the prometaphase starfish oocyte, 57 — Post-translational modifications of tubulin and the dynamics of microtubules in mouse oocytes and zygotes, 375

Membrane. Activation of a *Plasmodium falciparum* protease correlated with merozoite maturation and erythrocyte invasion, 223

Membrane associated structures. Secretion systems and membrane-associated structures in rust fungi after high pressure freezing and freeze-fracturing, 363

Membrane potential. Nicotinic and muscarinic responses of embryonic chick ventricular myocardium to acetylcholine: chronotropic and electrophysiological effects, 79

Membrane skeleton. Interaction of biological membranes with the cytoskeletal framework of living cells, 261

Merozoite. Neutral proteases involved in the reinvasion of erythrocytes by *Plasmodium* merozoites, 233

Merozoite antigens. Isolation and functional characterization of *Plasmodium falciparum* merozoite antigens, 205

Microtubules. Tubulin expression in trypanosomes, 137 — Spatial organization of microtubules in various types of cells in the embryonic tectal plate of mouse using immunofluorescence after PEG embedding, 301 — Plant actin filament and microtubule interactions during anaphase-telophase transition: effects of antagonist drugs, 309 — Post-translational modifications of tubulin and the dynamics of microtubules in mouse oocytes and zygotes, 375

Mitochondrion. Biology of African trypanosomes in the tsetse fly, 109

Mitosis. Spatial organization of microtubules in various types of cells in the embryonic tectal plate of mouse using immunofluorescence after PEG embedding, 301 — Plant actin filament and microtubule interactions during anaphase-telophase transition: effects of antagonist drugs, 309

Molecular heterogeneity. Molecular heterogeneity of the isolated surface glycoprotein from variant AnTat 1.1 of *Trypanosoma brucei brucei*, 131

Molecular modelization. Image analysis and three-dimensional model of chymotrypsin-transformed human alpha$_2$-macroglobulin complexed with a monoclonal antibody specific for this conformation, 45

Monoclonal antibodies. Cell cycle-related proteins: a flow cytofluorometric study in human tumors, 23 — Image analysis and three-dimensional model of chymotrypsin-transformed human alpha$_2$-macroglobulin complexed with a monoclonal antibody specific for this conformation, 45 — Tubulin expression in trypanosomes, 137 — Protein p126: a parasitophorous vacuole antigen associated with the release of *Plasmodium falciparum* merozoites, 215 — Light and electron microscope immunolocalization of two nuclear antigens in the liver of *Pleurodeles waltl* using monoclonal antibodies, 343

Mouse oocyte. Post-translational modifications of tubulin and the dynamics of microtubules in mouse oocytes and zygotes, 375

Mouse trophoblast. DNA-fluorescence of mammalian intra-nucleolar chromatin detected by confocal laser scanning microscopy (CLSM), 371

N

Neutral proteases. Neutral proteases involved in the reinvasion of erythrocytes by *Plasmodium* merozoites, 233

Nocodazole. Effect of microtubule reactive drugs on steroid- and centrifugation-induced germinal vesicle migration during goldfish oocyte meiosis, 293

Nuclear antigens. Light and electron microscope immunolocalization of two nuclear antigens in the liver of *Pleurodeles waltl* using monoclonal antibodies, 343

Nuclear matrix. Isolation and characterization of stable nuclear matrix preparations and associated DNA from avian erythroblasts, 13

Nucleolar organizer. Comparison between the molecular characteristics and the potential activity of X and Y nucleolar organizers from various *Drosophila melanogaster* laboratory lines, 3

Nucleolar proteins. Autoimmune serum containing an antibody against a 94 kDa nucleolar protein, 331

Nucleolus. Ultrastructural localization of argyrophilic proteins in nucleoli of *Zea mays* by two silver staining techniques, 97

O

Oocyte. Assembly of a protein sharing epitopes with sperm dynein heavy chains into meiotic spindle in the prometaphase starfish oocyte, 57

Ovarian follicle. Effect of microtubule reactive drugs on steroid- and centrifugation-induced germinal vesicle migration during goldfish oocyte meiosis, 293

P

Parasite life-cycle. Expression of variant-specific antigen genes in African trypanosomes, 121

PEG. Spatial organization of microtubules in various types of cells in the embryonic tectal plate of mouse using immunofluorescence after PEG embedding, 301

Photoreceptors. Synthesis of melatonin by the pineal modified photoreceptors of birds. Immunocytochemical localization of hydroxyindole-O-methyltransferase, 93

Pineal. Synthesis of melatonin by the pineal modified photoreceptors of birds. Immunocytochemical localization of hydroxyindole-O-methyltransferase, 93

Plant cells. Plant actin filament and microtubule interactions during anaphase-telophase transition: effects of antagonist drugs, 309

Plasmodium. Foreword of special issue : "Cell and molecular biology of trypanosomes and plasmodium", 107 — Activation of a *Plasmodium falciparum* protease correlated with merozoite maturation and erythrocyte invasion, 223

Plasmodium berghei.. Neutral proteases involved in the reinvasion of erythrocytes by *Plasmodium* merozoites, 233

Plasmodium chabaudi.. Neutral proteases involved in the reinvasion of erythrocytes by *Plasmodium* merozoites, 233

Plasmodium falciparum.. Expression and function of erythrocyte-associated surface antigens in malaria, 183 — Isolation and functional characterization of *Plasmodium*

falciparum merozoite antigens, 205 — Protein p126: a parasitophorous vacuole antigen associated with the release of *Plasmodium falciparum* merozoites, 215 — Neutral proteases involved in the reinvasion of erythrocytes by *Plasmodium* merozoites, 233 — Biology and biochemistry of sexual and sporogenic stages of *Plasmodium falciparum:* a review, 245

Plasmodium vivax. *Plasmodium vivax* malaria: parasite biology defines potential targets for vaccine development, 251

Platelets. Isolated cytoskeletons of human blood platelets: dark-field imaging of coiled and uncoiled microtubules, 283

Pleurodeles. Light and electron microscope immunolocalization of two nuclear antigens in the liver of *Pleurodeles waltl* using monoclonal antibodies, 343

Pre-erythrocytic stages. Pre-erythrocytic stages of plasmodia. Role of specific and non specific factors, 165

Proliferation. Culture of proliferating and differentiating fat-storing cells in 3T3-conditioned medium, 29

Protease. Activation of a *Plasmodium falciparum* protease correlated with merozoite maturation and erythrocyte invasion, 223

Protein 4.1. Interaction of biological membranes with the cytoskeletal framework of living cells, 261

Proteolysis. Protein p126: a parasitophorous vacuole antigen associated with the release of *Plasmodium falciparum* merozoites, 215

Q

Quail oviduct. Immunolocalization of laminin during estrogen-induced differentiation of quail oviduct epithelial cells, 353

R

Rabbit. Ultrastructural identification of round-granule EC cells in rabbit fundic mucosa, 71

Recombinant DNA. *Plasmodium vivax* malaria: parasite biology defines potential targets for vaccine development, 251

Ribosomal DNA. Comparison between the molecular characteristics and the potential activity of X and Y nucleolar organizers from various *Drosophila melanogaster* laboratory lines, 3

RNase-gold labeling. Origin of nucleolus-like bodies found in nucleoplasm and cytoplasm of *Vicia faba* meristematic cells, 309

Rodents. Spatial organization of microtubules in various types of cells in the embryonic tectal plate of mouse using immunofluorescence after PEG embedding, 301

Rust fungi. Secretion systems and membrane-associated structures in rust fungi after high pressure freezing and freeze-fracturing, 363

S

Secretion processes. Secretion systems and membrane-associated structures in rust fungi after high pressure freezing and freeze-fracturing, 363

Sexual stages. Biology and biochemistry of sexual and sporogenic stages of *Plasmodium falciparum:* a review, 245

Silver staining. Ultrastructural localization of argyrophilic proteins in nucleoli of *Zea mays* by two silver staining techniques, 97 — Origin of nucleolus-like bodies found in nucleoplasm and cytoplasm of *Vicia faba* meristematic cells, 309

Sleeping sickness. Compartmentation of glycolysis in trypanosomes: a potential target for new trypanocidal drugs, 157

Spectrin. Interaction of biological membranes with the cytoskeletal framework of living cells, 261

Starfish. Assembly of a protein sharing epitopes with sperm dynein heavy chains into meiotic spindle in the prometaphase starfish oocyte, 57

Stomach. Ultrastructural identification of round-granule EC cells in rabbit fundic mucosa, 71

Striated roots. Cilia-lacking respiratory cells in ciliary aplasia, 67

Surface and nuclear proteins. Cell cycle-related proteins: a flow cytofluorometric study in human tumors, 23

T

3T3-conditioned medium. Culture of proliferating and differentiating fat-storing cells in 3T3-conditioned medium, 29

Taxol. Effect of microtubule reactive drugs on steroid- and centrifugation-induced germinal vesicle migration during goldfish oocyte meiosis, 293

Teleost fish. Variations in the arrangement of tonofilaments in the epidermis of teleost fish, 85

Telomeres. Expression of variant-specific antigen genes in African trypanosomes, 121

Tonofilaments. Variations in the arrangement of tonofilaments in the epidermis of teleost fish, 85

Tooth. Expression of the *c-fos* proto-oncogene in bone, cartilage and tooth forming tissues during mouse development, 101

Topoisomerase II. ATP-independent DNA topoisomerase II as potential drug target in trypanosomes, 145

Transcription control. Expression of variant-specific antigen genes in African trypanosomes, 121

Transmission blocking immunity. Biology and biochemistry of sexual and sporogenic stages of *Plasmodium falciparum:* a review, 245

Trypanosoma brucei brucei.. Molecular heterogeneity of the isolated surface glycoprotein from variant AnTat 1.1 of *Trypanosoma brucei brucei*, 131

Trypanosome. Foreword of special issue : "Cell and molecular biology of trypanosomes and plasmodium", 107 — Biology of African trypanosomes in the tsetse fly, 109 — Expression of variant-specific antigen genes in African trypanosomes, 121 — Tubulin expression in trypanosomes, 137 — Compartmentation of glycolysis in trypanosomes: a potential target for new trypanocidal drugs, 157

Tubulin. Tubulin expression in trypanosomes, 137 — Effect of microtubule reactive drugs on steroid- and centrifugation-induced germinal vesicle migration during goldfish oocyte meiosis, 293

Tubulin acetylation. Post-translational modifications of tubulin and the dynamics of microtubules in mouse oocytes and zygotes, 375

Tubulin detyrosination. Post-translational modifications of tubulin and the dynamics of microtubules in mouse oocytes and zygotes, 375

Tubulin isoforms. Tubulin expression in trypanosomes, 137

V

Vaccine. *Plasmodium vivax* malaria: parasite biology defines potential targets for vaccine development, 251

Variable antigen coat. Biology of African trypanosomes in the tsetse fly, 109

Variant surface glycoprotein. Molecular heterogeneity of the isolated surface glycoprotein from variant AnTat 1.1 of *Trypanosoma brucei brucei*, 131

Vicia faba. Origin of nucleolus-like bodies found in nucleoplasm and cytoplasm of *Vicia faba* meristematic cells, 309

Vinblastine. Effect of microtubule reactive drugs on steroid- and centrifugation-induced germinal vesicle migration during goldfish oocyte meiosis, 293

Z

Zea mays. Ultrastructural localization of argyrophilic proteins in nucleoli of *Zea mays* by two silver staining techniques, 97